

# CASEMENT ELEVATIONS

CC/CW B.U. CW U.D. R. OPG. GLASS SIZE	1' 5-11/16" 1' 8-5/8" 1' 6-3/16" 13"	2' 11-3/8" 3' 2-5/16" 2' 11-7/8" 13"	4' 5-1/16" 4' 8" 4' 5-9/16" 13"	5' 10-3/4" 6' 1-11/16" 5' 11-1/4" 13"	7' 4-7/16" 7' 7-3/8" 7' 4-15/16" 13"
2' 0" 2' 2-5/32" 2' 0-1/2" 19-5/16"	1824-1 2W2H	1824-2	1824-3	1824-4	1824-5
2' 4-11/16" 2' 6-27/32" 2' 5-3/16" 24"	1828-1 2W2H	1828-2	1828-3	1828-4	1828-5
3' 0-11/16" 3' 2-27/32" 3' 1-3/16" 32"	1836-1 2W3H	1836-2	1836-3	1836-4	1836-5
3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"	1840-1 2W3H	1840-2	1840-3	1840-4	1840-5
4' 0" 4' 2-5/32" 4' 0-1/2" 43-5/16"	1848-1 2W4H	1848-2	1848-3	1848-4	1848-5
4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"	1852-1 2W4H	1852-2	1852-3	1852-4	1852-5
5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"	1860-1 2W5H	1860-2	1860-3	1860-4	1860-5
5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"	1864-1 2W5H	1864-2	1864-3	1864-4	1864-5
6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"	1872-1 2W6H	1872-2	1872-3	1872-4	1872-5
CC B.U. R. OPG. GLASS SIZE	1' 5-11/16" 1' 6-3/16" 13"	2' 11-3/8" 2' 11-7/8" 13"	4' 5-1/16" 4' 5-9/16" 13"	5' 10-3/4" 5' 11-1/4" 13"	7' 4-7/16" 7' 4-15/16" 13"
6' 6" 6' 6-1/2" 73-5/16"	CC1878-1 2W6H	CC1878-2	CC1878-3	CC1878-4	CC1878-5

## NOTES

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:  
 CC = Aluminum clad casement  
 POC = Push-out aluminum clad casement  
 CW = Wood (primed) casement  
 POCW = Push-out wood (primed) casement

# CASEMENT ELEVATIONS

CC/CW B.U. CW U.D. R. OPG. GLASS SIZE	1' 8-11/16" 1' 11-5/8" 1' 9-3/16" 16"	3' 5-3/8" 3' 8-5/16" 3' 5-7/8" 16"	5' 2-1/16" 5' 5" 5' 2-9/16" 16"	6' 10-3/4" 7' 1-11/16" 6' 11-1/4" 16"	8' 7-7/16" 8' 10-3/8" 8' 7-15/16" 16"
2' 0" 2' 2-5/32" 2' 0-1/2" 19-5/16"					
2' 4-11/16" 2' 6-27/32" 2' 5-3/16" 24"					
3' 0-11/16" 3' 2-27/32" 3' 1-3/16" 32"					
3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"					
4' 0" 4' 2-5/32" 4' 0-1/2" 43-5/16"					
4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"					
5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"					
5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"					
6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"					
CC B.U. R. OPG. GLASS SIZE	1' 8-11/16" 1' 9-3/16" 16"	3' 5-3/8" 3' 5-7/8" 16"	5' 2-1/16" 5' 2-9/16" 16"	6' 10-3/4" 6' 11-1/4" 16"	8' 7-7/16" 8' 7-15/16" 16"
6' 6" 6' 6-1/2" 73-5/16"					

## NOTES

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:  
 CC = Aluminum clad casement  
 CW = Wood (primed) casement  
 POCC = Push-out aluminum clad casement  
 POCW = Push-out wood (primed) casement

# CASEMENT ELEVATIONS

**CC/CW B.U.**  
**CW U.D.**  
**R. OPG.**  
**GLASS SIZE**

2' 0" 2' 2-5/32" 2' 0-1/2" 19-5/16"	4' 0" 4' 2-15/16" 4' 0-1/2" 19-5/16"	6' 0" 6' 2-15/16" 6' 0-1/2" 19-5/16"	8' 0" 8' 2-15/16" 8' 0-1/2" 19-5/16"	10' 0" 10' 2-15/16" 10' 0-1/2" 19-5/16"	
2424-1 2W2H	2424-2	2424-3	2424-4	2424-5	
2' 4-11/16" 2' 6-27/32" 2' 5-3/16" 24"					
2428-1 2W2H	2428-2	2428-3	2428-4	2428-5	
3' 0-11/16" 3' 2-27/32" 3' 1-3/16" 32"					
2436-1 2W3H	2436-2	2436-3	2436-4	2436-5	
3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"					
2440-1 2W3H	2440-2	2440-3	2440-4	2440-5	
4' 0" 4' 2-5/32" 4' 0-1/2" 43-5/16"					
2448-1 2W4H	2448-2	2448-3	2448-4	2448-5	
4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"					
2452-1 2W4H	2452-2	2452-3	2452-4	2452-5	
5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"					
2460-1 2W5H	2460-2	2460-3	2460-4	2460-5	
5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"					
2464-1 2W5H	2464-2	2464-3	2464-4	2464-5	
6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"					
2472-1 2W6H	2472-2	2472-3	2472-4	2472-5	
<b>CC B.U.</b> <b>R. OPG.</b> <b>GLASS SIZE</b>	2' 0" 2' 0-1/2" 19-5/16"	4' 0" 4' 0-1/2" 19-5/16"	6' 0" 6' 0-1/2" 19-5/16"	8' 0" 8' 0-1/2" 19-5/16"	10' 0" 10' 0-1/2" 19-5/16"
CC2478-1 2W6H	CC2478-2	CC2478-3	CC2478-4	CC2478-5	
6' 6" 6' 6-1/2" 73-5/16"					

**NOTES**

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:  
CC = Aluminum clad casement  
POCC = Push-out aluminum clad casement  
CW = Wood (primed) casement  
POCW = Push-out wood (primed) casement

# CASEMENT ELEVATIONS

CC/CW B.U. CW U.D. R. OPG. GLASS SIZE	2' 4-11/16" 2' 7-5/8" 2' 5-3/16" 24"	4' 9-3/8" 5' 0-5/16" 4' 9-7/8" 24"	7' 2-1/16" 7' 5" 7' 2-9/16" 24"	9' 6-3/4" 9' 9-11/16" 9' 7-1/4" 24"	11' 11-7/16" 12' 2-3/8" 11' 11-15/16" 24"
2' 0" 2' 2-5/32" 2' 0-1/2" 19-5/16"					
2' 4-11/16" 2' 6-27/32" 2' 5-3/16" 24"					
3' 0-11/16" 3' 2-27/32" 3' 1-3/16" 32"					
3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"					
4' 0" 4' 2-5/32" 4' 0-1/2" 43-5/16"					
4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"					
5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"					
5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"					
6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"					
CC B.U. R. OPG. GLASS SIZE	2' 4-11/16" 2' 5-3/16" 24"	4' 9-3/8" 4' 9-7/8" 24"	7' 2-1/16" 7' 2-9/16" 24"	9' 6-3/4" 9' 7-1/4" 24"	11' 11-7/16" 11' 11-15/16" 24"
6' 6" 6' 6-1/2" 73-5/16"					

## NOTES

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:  
 CC = Aluminum clad casement  
 CW = Wood (primed) casement  
 POCC = Push-out aluminum clad casement  
 POCW = Push-out wood (primed) casement

# CASEMENT ELEVATIONS

<b>CC/CW B.U.</b>	2' 8-11/16"	5' 5-3/8"	8' 2-1/16"	10' 10-3/4"	13' 7-7/16"
<b>CW U.D.</b>	2' 11-5/8"	5' 8-5/16"	8' 5"	11' 1-11/16"	13' 10-3/8"
<b>R. OPG.</b>	2' 9-3/16"	5' 5-7/8"	8' 2-9/16"	10' 11-1/4"	13' 7-15/16"
<b>GLASS SIZE</b>	28"	28"	28"	28"	28"

3' 0-11/16" 3' 2-27/32" 3' 1-3/16" 32"					
3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"					
4' 0" 4' 2-5/32" 4' 0-1/2" 48-5/16"					
4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"					
5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"					
5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"					
6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"					

<b>CC B.U.</b>	2' 8-11/16"	5' 5-3/8"	8' 2-1/16"	10' 10-3/4"	13' 7-7/16"
<b>R. OPG.</b>	2' 9-3/16"	5' 5-7/8"	8' 2-9/16"	10' 11-1/4"	13' 7-15/16"
<b>GLASS SIZE</b>	28"	28"	28"	28"	28"

6' 6" 6' 6-1/2" 73-5/16"					
--------------------------------	--	--	--	--	--

## NOTES

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:
  - CC = Aluminum clad casement
  - POCC = Push-out aluminum clad casement
  - CW = Wood (primed) casement
  - POCW = Push-out wood (primed) casement

# CASEMENT ELEVATIONS

<b>CC/CW B.U.</b>	3' 0"	6' 0"	9' 0"	12' 0"	15' 0"
<b>CW U.D.</b>	3' 2-15/16"	6' 2-15/16"	9' 2-15/16"	12' 2-15/16"	15' 2-15/16"
<b>R. OPG.</b>	3' 0-1/2"	6' 0-1/2"	9' 0-1/2"	12' 0-1/2"	15' 0-1/2"
<b>GLASS SIZE</b>	31-5/16"	31-5/16"	31-5/16"	31-5/16"	31-5/16"

3' 0-11/16" 3' 2-27/32" 3' 1-3/16" 32"					
	3636-1 3W3H	3636-2	3636-3	3636-4	3636-5

3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"					
	3640-1 3W3H	3640-2	3640-3	3640-4	3640-5

4' 0" 4' 2-5/32" 4' 0-1/2" 43-5/16"					
	3648-1 3W4H	3648-2	3648-3	3648-4	3648-5

4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"					
	3652-1 3W4H	3652-2	3652-3	3652-4	3652-5

5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"					
	3660-1 3W5H	3660-2	3660-3	3660-4	3660-5

5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"					
	3664-1 3W5H	3664-2	3664-3	3664-4	3664-5

6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"					
	3672-1 3W6H	3672-2	3672-3	3672-4	3672-5

6' 6" 6' 6"-1/2" 73-5/16"					
	CC3678-1 3W6H	CC3678-2	CC3678-3	CC3678-4	CC3678-5

<b>CC B.U.</b>	3' 0"	6' 0"	9' 0"	12' 0"	15' 0"
<b>R. OPG.</b>	3' 0-1/2"	6' 0-1/2"	9' 0-1/2"	12' 0-1/2"	15' 0-1/2"
<b>GLASS SIZE</b>	31-5/16"	31-5/16"	31-5/16"	31-5/16"	31-5/16"

6' 6" 6' 6"-1/2" 73-5/16"					
	CC3678-1 3W6H	CC3678-2	CC3678-3	CC3678-4	CC3678-5

## NOTES

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:
 

CC = Aluminum clad casement	CW = Wood (primed) casement
POCC = Push-out aluminum clad casement	POCW = Push-out wood (primed) casement





# CASEMENT PICTURE ELEVATIONS

CC/CW B.U. CW U.D. R. OPG. GLASS SIZE	3' 0"	3' 4-11/16"	4' 0"	5' 0"	6' 0"	
	3' 2-15/16" 3' 0-1/2" 31-5/16"	3' 7-5/8" 3' 5-3/16" 36"	4' 2-15/16" 4' 0-1/2" 43-5/16"	5' 2-15/16" 5' 0-1/2" 55-5/16"	6' 2-15/16" 6' 0-1/2" 67-5/16"	
	P3636 3W3H	P4036 3W3H	P4836 4W3H	P6036 5W3H	P7236 6W3H	
	3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"					
	P3640 3W3H	P4040 3W3H	P4840 4W3H	P6040 5W3H	P7240 6W3H	
	4' 0" 4' 2-5/32" 4' 0-1/2" 43-5/16"					
	P3648 3W4H	P4048 3W4H	P4848 4W4H	P6048 5W4H	P7248 6W4H	
	4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"					
	P3652 3W4H	P4052 3W4H	P4852 4W4H	P6052 5W4H	P7252 6W4H	
	5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"					
	P3660 3W5H	P4060 3W5H	P4860 4W5H	P6060 5W5H	P7260 6W5H	
	5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"					
	P3664 3W5H	P4064 3W5H	P4864 4W5H	P6064 5W5H	P7264 6W5H	
	6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"					
	P3672 3W6H	P4072 3W6H	P4872 4W6H	P6072 5W6H	P7272 6W6H	
CC B.U. R. OPG. GLASS SIZE	3' 0" 3' 0-1/2" 31-5/16"	3' 4-11/16" 3' 5-3/16" 36"	4' 0" 4' 0-1/2" 43-5/16"	5' 0" 5' 0-1/2" 55-5/16"	6' 0" 6' 0-1/2" 67-5/16"	
	6' 6" 6' 6-1/2" 73-5/16"	CCP3678 3W6H	CCP4078 3W6H	CCP4878 4W6H	CCP6078 5W6H	CCP7278 6W6H

## NOTES

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:  
CC = Aluminum clad casement  
CW = Wood (primed) casement






# CASEMENT TRANSOM ELEVATIONS



## NOTES

- Light pattern shown is standard.
- When ordering specific products insert the following product ID codes before the unit number:  
CC = Aluminum clad casement CW = Wood (primed) casement
- \*Indicates a transom that consists of individual units that are factory milled together.

# CASEMENT TRANSOM ELEVATIONS



## NOTES

- Light pattern shown is standard.
- When ordering specific products insert the following product ID codes before the unit number:  
 CC = Aluminum clad casement CW = Wood (primed) casement

# CASEMENT TRIPLE PICTURE ELEVATIONS

CC/CW B.U. CW U.D. R. OPG. GLASS SIZE	6' 5-3/8" 6' 8-5/16" 6' 5-7/8" 16" 31-5/16" 16"	7' 0" 7' 2-15/16" 7' 0-1/2" 19-5/16" 31-5/16" 19-5/16"	8' 0" 8' 2-15/16" 8' 0-1/2" 19-5/16" 43-5/16" 19-5/16"	9' 0" 9' 2-15/16" 9' 0-1/2" 19-5/16" 55-5/16" 19-5/16"	9' 9-3/8" 10' 0-5/16" 9' 9-7/8" 24" 55-5/16" 24"
3' 0-11/16" 3' 2-27/32" 3' 1-3/16" 32"					
3' 4-11/16" 3' 6-27/32" 3' 5-3/16" 36"					
4' 0" 4' 2-5/32" 4' 0-1/2" 43-5/16"					
4' 4-11/16" 4' 6-27/32" 4' 5-3/16" 48"					
5' 0" 5' 2-5/32" 5' 0-1/2" 55-5/16"					
5' 4-11/16" 5' 6-27/32" 5' 5-3/16" 60"					
6' 0" 6' 2-5/32" 6' 0-1/2" 67-5/16"					
CC B.U. R. OPG. GLASS SIZE	6' 5-3/8" 6' 5-7/8" 16" 31-5/16" 16"	7' 0" 7' 0-1/2" 19-5/16" 31-5/16" 19-5/16"	8' 0" 8' 0-1/2" 19-5/16" 43-5/16" 19-5/16"	9' 0" 9' 0-1/2" 19-5/16" 55-5/16" 19-5/16"	9' 9-3/8" 9' 9-7/8" 24" 55-5/16" 24"
6' 6" 6' 6-1/2" 73-5/16"					

## NOTES

- Light pattern shown is standard.
- All CC 78" heights are available aluminum clad only.
- All 78" heights not available in Push-out style.
- When ordering specific products insert the following product ID codes before the unit number:  
 CC = Aluminum clad casement  
 CW = Wood (primed) casement  
 POCC = Push-out aluminum clad casement  
 POWC = Push-out wood (primed) casement