

# TILT DOUBLE HUNG OPENING SPECIFICATIONS

UNIT CODE	PRIMED CLEAR OPENING				DAYLIGHT SQ. FT.	VENT SQ. FT.	CLAD CLEAR OPENING				DAYLIGHT SQ. FT.	VENT SQ. FT.
	SQ. FT.	WIDTH	HEIGHT	EG.			SQ. FT.	WIDTH	HEIGHT	EG.		
1614	1.6	18"	13-1/8"		2.7	1.6	1.8	17-7/16"	14-1/2"		2.7	1.8
1616	1.9	18"	15-1/8"		3.2	1.9	2.0	17-7/16"	16-1/2"		3.2	2.0
1620	2.4	18"	19-1/8"		4.0	2.4	2.5	17-7/16"	20-1/2"		4.0	2.5
1622	2.6	18"	21-1/8"		4.4	2.6	2.7	17-7/16"	22-1/2"		4.4	2.7
1624	2.9	18"	23-1/8"		4.8	2.9	3.0	17-7/16"	24-1/2"		4.8	3.0
1626	3.1	18"	25-1/8"		5.2	3.1	3.2	17-7/16"	26-1/2"		5.2	3.2
1628	3.4	18"	27-1/8"		5.7	3.4	3.5	17-7/16"	28-1/2"		5.7	3.5
1630	3.6	18"	29-1/8"		6.1	3.6	3.7	17-7/16"	30-1/2"		6.1	3.7
1632	3.9	18"	31-1/8"		6.5	3.9	3.9	17-7/16"	32-1/2"		6.5	3.9
1634	4.1	18"	33-1/8"		6.9	4.1	4.2	17-7/16"	34-1/2"		6.9	4.2
1636	4.4	18"	35-1/8"		7.3	4.4	4.4	17-7/16"	36-1/2"		7.3	4.4
1624/36	2.9	18"	23-1/8"		6.1	2.9	3.0	17-7/16"	24-1/2"		6.1	3.0
2014	2.0	22"	13-1/8"		3.5	2.0	2.2	21-7/16"	14-1/2"		3.5	2.2
2016	2.3	22"	15-1/8"		4.0	2.3	2.5	21-7/16"	16-1/2"		4.0	2.5
2020	2.9	22"	19-1/8"		5.0	2.9	3.1	21-7/16"	20-1/2"		5.0	3.1
2022	3.2	22"	21-1/8"		5.6	3.2	3.3	21-7/16"	22-1/2"		5.6	3.3
2024	3.5	22"	23-1/8"		6.1	3.5	3.6	21-7/16"	24-1/2"		6.1	3.6
2026	3.8	22"	25-1/8"		6.6	3.8	3.9	21-7/16"	26-1/2"		6.6	3.9
2028	4.1	22"	27-1/8"		7.2	4.1	4.2	21-7/16"	28-1/2"		7.2	4.2
2030	4.4	22"	29-1/8"		7.7	4.4	4.5	21-7/16"	30-1/2"		7.7	4.5
2032	4.8	22"	31-1/8"		8.2	4.8	4.8	21-7/16"	32-1/2"		8.2	4.8
2034	5.1	22"	33-1/8"		8.8	5.1	5.1	21-7/16"	34-1/2"		8.8	5.1
2036	5.4	22"	35-1/8"		9.3	5.4	5.4	21-7/16"	36-1/2"		9.3	5.4
2024/36	3.5	22"	23-1/8"		7.7	3.5	3.6	21-7/16"	24-1/2"		7.7	3.6
2414	2.4	26"	13-1/8"		4.2	2.4	2.6	25-7/16"	14-1/2"		4.2	2.6
2416	2.7	26"	15-1/8"		4.8	2.7	2.9	25-7/16"	16-1/2"		4.8	2.9
2420	3.5	26"	19-1/8"		6.1	3.5	3.6	25-7/16"	20-1/2"		6.1	3.6
2422	3.8	26"	21-1/8"		6.7	3.8	4.0	25-7/16"	22-1/2"		6.7	4.0
2424	4.2	26"	23-1/8"		7.4	4.2	4.3	25-7/16"	24-1/2"		7.4	4.3
2426	4.5	26"	25-1/8"		8.0	4.5	4.7	25-7/16"	26-1/2"		8.0	4.7
2428	4.9	26"	27-1/8"		8.7	4.9	5.0	25-7/16"	28-1/2"		8.7	5.0
2430	5.3	26"	29-1/8"		9.3	5.3	5.4	25-7/16"	30-1/2"		9.3	5.4
2432	5.6	26"	31-1/8"		9.9	5.6	5.7	25-7/16"	32-1/2"	u	9.9	5.7
2434	6.0	26"	33-1/8"	u	10.6	6.0	6.1	25-7/16"	34-1/2"	u	10.6	6.1
2436	6.3	26"	35-1/8"	u	11.2	6.3	6.4	25-7/16"	36-1/2"	u	11.2	6.4
2424/36	4.2	26"	23-1/8"		9.3	4.2	4.3	25-7/16"	24-1/2"		9.3	4.3
2814	2.7	30"	13-1/8"		4.9	2.7	3.0	29-7/16"	14-1/2"		4.9	3.0
2816	3.2	30"	15-1/8"		5.7	3.2	3.4	29-7/16"	16-1/2"		5.7	3.4
2820	4.0	30"	19-1/8"		7.2	4.0	4.2	29-7/16"	20-1/2"		7.2	4.2
2822	4.4	30"	21-1/8"		7.9	4.4	4.6	29-7/16"	22-1/2"		7.9	4.6
2824	4.8	30"	23-1/8"		8.7	4.8	5.0	29-7/16"	24-1/2"		8.7	5.0
2826	5.2	30"	25-1/8"		9.4	5.2	5.4	29-7/16"	26-1/2"		9.4	5.4
2828	5.7	30"	27-1/8"	u	10.2	5.7	5.8	29-7/16"	28-1/2"	u	10.2	5.8
2830	6.1	30"	29-1/8"	u	10.9	6.1	6.2	29-7/16"	30-1/2"	u	10.9	6.2
2832	6.5	30"	31-1/8"	u	11.7	6.5	6.6	29-7/16"	32-1/2"	u	11.7	6.6
2834	6.9	30"	33-1/8"	u	12.4	6.9	7.1	29-7/16"	34-1/2"	u	12.4	7.1
2836	7.3	30"	35-1/8"	u	13.2	7.3	7.5	29-7/16"	36-1/2"	u	13.2	7.5
2824/36	4.8	30"	23-1/8"		10.9	4.8	5.0	29-7/16"	24-1/2"		10.9	5.0
3214	3.1	34"	13-1/8"		5.6	3.1	3.4	33-7/16"	14-1/2"		5.6	3.4
3216	3.6	34"	15-1/8"		6.5	3.6	3.8	33-7/16"	16-1/2"		6.5	3.8
3220	4.5	34"	19-1/8"		8.2	4.5	4.8	33-7/16"	20-1/2"		8.2	4.8
3222	5.0	34"	21-1/8"		9.1	5.0	5.2	33-7/16"	22-1/2"		9.1	5.2
3224	5.5	34"	23-1/8"	uu	9.9	5.5	5.7	33-7/16"	24-1/2"	u	9.9	5.7
3226	5.9	34"	25-1/8"	u	10.8	5.9	6.2	33-7/16"	26-1/2"	u	10.8	6.2
3228	6.4	34"	27-1/8"	u	11.7	6.4	6.6	33-7/16"	28-1/2"	u	11.7	6.6
3230	6.9	34"	29-1/8"	u	12.5	6.9	7.1	33-7/16"	30-1/2"	u	12.5	7.1
3232	7.3	34"	31-1/8"	u	13.4	7.3	7.5	33-7/16"	32-1/2"	u	13.4	7.5
3234	7.8	34"	33-1/8"	u	14.3	7.8	8.0	33-7/16"	34-1/2"	u	14.3	8.0
3236	8.3	34"	35-1/8"	u	15.1	8.3	8.5	33-7/16"	36-1/2"	u	15.1	8.5
3224/36	5.5	34"	23-1/8"	uu	12.5	5.5	5.7	33-7/16"	24-1/2"	u	12.5	5.7
3614	3.5	38"	13-1/8"		6.4	3.5	3.8	37-7/16"	14-1/2"		6.4	3.8
3616	4.0	38"	15-1/8"		7.3	4.0	4.3	37-7/16"	16-1/2"		7.3	4.3
3620	5.0	38"	19-1/8"		9.3	5.0	5.3	37-7/16"	20-1/2"		9.3	5.3
3622	5.6	38"	21-1/8"		10.3	5.6	5.8	37-7/16"	22-1/2"		10.3	5.8
3624	6.1	38"	23-1/8"	uu	11.2	6.1	6.4	37-7/16"	24-1/2"	u	11.2	6.4
3626	6.6	38"	25-1/8"	u	12.2	6.6	6.9	37-7/16"	26-1/2"	u	12.2	6.9
3628	7.2	38"	27-1/8"	u	13.2	7.2	7.4	37-7/16"	28-1/2"	u	13.2	7.4
3630	7.7	38"	29-1/8"	u	14.2	7.7	7.9	37-7/16"	30-1/2"	u	14.2	7.9
3632	8.2	38"	31-1/8"	u	15.1	8.2	8.4	37-7/16"	32-1/2"	u	15.1	8.4
3634	8.7	38"	33-1/8"	u	16.1	8.7	9.0	37-7/16"	34-1/2"	u	16.1	9.0
3636	9.3	38"	35-1/8"	u	17.1	9.3	9.5	37-7/16"	36-1/2"	u	17.1	9.5
3624/36	6.1	38"	23-1/8"	uu	14.2	6.1	6.4	37-7/16"	24-1/2"	u	14.2	6.4
4014	3.8	42"	13-1/8"		7.1	3.8	4.2	41-7/16"	14-1/2"		7.1	4.2
4016	4.4	42"	15-1/8"		8.2	4.4	4.7	41-7/16"	16-1/2"		8.2	4.7
4020	5.6	42"	19-1/8"		10.3	5.6	5.9	41-7/16"	20-1/2"		10.3	5.9
4022	6.2	42"	21-1/8"		11.4	6.2	6.5	41-7/16"	22-1/2"		11.4	6.5
4024	6.7	42"	23-1/8"	uu	12.5	6.7	7.1	41-7/16"	24-1/2"	u	12.5	7.1
4026	7.3	42"	25-1/8"	u	13.6	7.3	7.6	41-7/16"	26-1/2"	u	13.6	7.6
4028	7.9	42"	27-1/8"	u	14.7	7.9	8.2	41-7/16"	28-1/2"	u	14.7	8.2
4030	8.5	42"	29-1/8"	u	15.8	8.5	8.8	41-7/16"	30-1/2"	u	15.8	8.8
4032	9.1	42"	31-1/8"	u	16.9	9.1	9.4	41-7/16"	32-1/2"	u	16.9	9.4
4034	9.7	42"	33-1/8"	u	17.9	9.7	9.9	41-7/16"	34-1/2"	u	17.9	9.9
4036	10.2	42"	35-1/8"	u	19.0	10.2	10.5	41-7/16"	36-1/2"	u	19.0	10.5
4024/36	6.7	42"	23-1/8"	uu	15.8	6.7	7.1	41-7/16"	24-1/2"	u	15.8	7.1

## DW W/EGRESS HARDWARE

UNIT	PRIMED CLEAR OPENING		
	SQ. FT.	WIDTH	HEIGHT
3224	5.8	34"	24-7/16"
3224/36	5.8	34"	24-7/16"
3624	6.4	38"	24-7/16"
3624/36	6.4	38"	24-7/16"
4024	7.1	42"	24-7/16"
4024/36	7.1	42"	24-7/16"

## EGRESS




- u Indicates egress.
- uu Indicates meets egress with application of special-order egress hardware. Primed units only.

### A general note on egress:

Egress requirements can vary from locale to locale. It is always best to check with your local building department to determine their exact egress requirements.

## RADIUS CASINGS

Pine, oak, alder, and douglas fir radius casings available in the styles and widths shown. Widths shown are 2-1/4" and 3-1/4".



\*available in 3-1/4" width only.

# CLAD TILT DOUBLE HUNG OPENING SPECIFICATIONS FOR GRADE 50 OPTION

UNIT CODE	CLAD CLEAR OPENING				DAYLIGHT SQ. FT.	VENT. SQ. FT.
	SQ. FT.	WIDTH	HEIGHT	EGRESS		
1614	1.7	17-7/16"	13-7/8"		2.7	1.7
1616	1.9	17-7/16"	15-7/8"		3.2	1.9
1620	2.4	17-7/16"	19-7/8"		4.0	2.4
1622	2.6	17-7/16"	21-7/8"		4.4	2.6
1624	2.9	17-7/16"	23-7/8"		4.8	2.9
1626	3.1	17-7/16"	25-7/8"		5.2	3.1
1628	3.4	17-7/16"	27-7/8"		5.7	3.4
1630	3.6	17-7/16"	29-7/8"		6.1	3.6
1632	3.9	17-7/16"	31-7/8"		6.5	3.9
1634	4.1	17-7/16"	33-7/8"		6.9	4.1
1636	4.3	17-7/16"	35-7/8"		7.3	4.3
1624/36	2.9	17-7/16"	23-7/8"		6.1	2.9
2014	2.1	21-7/16"	13-7/8"		3.5	2.1
2016	2.4	21-7/16"	15-7/8"		4.0	2.4
2020	3.0	21-7/16"	19-7/8"		5.0	3.0
2022	3.3	21-7/16"	21-7/8"		5.6	3.3
2024	3.6	21-7/16"	23-7/8"		6.1	3.6
2026	3.9	21-7/16"	25-7/8"		6.6	3.9
2028	4.1	21-7/16"	27-7/8"		7.2	4.1
2030	4.4	21-7/16"	29-7/8"		7.7	4.4
2032	4.7	21-7/16"	31-7/8"		8.2	4.7
2034	5.0	21-7/16"	33-7/8"		8.8	5.0
2036	5.3	21-7/16"	35-7/8"		9.3	5.3
2024/36	3.6	21-7/16"	23-7/8"		7.7	3.6
2414	2.5	25-7/16"	13-7/8"		4.2	2.5
2416	2.8	25-7/16"	15-7/8"		4.8	2.8
2420	3.5	25-7/16"	19-7/8"		6.1	3.5
2422	3.9	25-7/16"	21-7/8"		6.7	3.9
2424	4.2	25-7/16"	23-7/8"		7.4	4.2
2426	4.6	25-7/16"	25-7/8"		8.0	4.6
2428	4.9	25-7/16"	27-7/8"		8.7	4.9
2430	5.3	25-7/16"	29-7/8"		9.3	5.3
2432	5.6	25-7/16"	31-7/8"		9.9	5.6
2434	6.0	25-7/16"	33-7/8"	u	10.6	6.0
2436	6.3	25-7/16"	35-7/8"	u	11.2	6.3
2424/36	4.2	25-7/16"	23-7/8"		9.3	4.2
2814	2.8	29-7/16"	13-7/8"		4.9	2.8
2816	3.2	29-7/16"	15-7/8"		5.7	3.2
2820	4.1	29-7/16"	19-7/8"		7.2	4.1
2822	4.5	29-7/16"	21-7/8"		7.9	4.5
2824	4.9	29-7/16"	23-7/8"		8.7	4.9
2826	5.3	29-7/16"	25-7/8"		9.4	5.3
2828	5.7	29-7/16"	27-7/8"	u	10.2	5.7
2830	6.1	29-7/16"	29-7/8"	u	10.9	6.1
2832	6.5	29-7/16"	31-7/8"	u	11.7	6.5
2834	6.9	29-7/16"	33-7/8"	u	12.4	6.9
2836	7.3	29-7/16"	35-7/8"	u	13.2	7.3
2824/36	4.9	29-7/16"	23-7/8"		10.9	4.9
3214	3.2	33-7/16"	13-7/8"		5.6	3.2
3216	3.7	33-7/16"	15-7/8"		6.5	3.7
3220	4.6	33-7/16"	19-7/8"		8.2	4.6
3222	5.1	33-7/16"	21-7/8"		9.1	5.1
3224	5.5	33-7/16"	23-7/8"		9.9	5.5
3226	6.0	33-7/16"	25-7/8"	u	10.8	6.0
3228	6.5	33-7/16"	27-7/8"	u	11.7	6.5
3230	6.9	33-7/16"	29-7/8"	u	12.5	6.9
3232	7.4	33-7/16"	31-7/8"	u	13.4	7.4
3234	7.9	33-7/16"	33-7/8"	u	14.3	7.9
3236	8.3	33-7/16"	35-7/8"	u	15.1	8.3
3224/36	5.5	33-7/16"	23-7/8"		12.5	5.5

## EGRESS

u Indicates egress.

### A general note on egress:

Egress requirements can vary from locale to locale. It is always best to check with your local building department to determine their exact egress requirements.